

DOTSERO INPUT LIST AND PERFORMANCE RIDER

Instrument / Input	Suggested Mic
1. Kick Drum	RE20
2. Snare Top.....	KM184
3. Snare Bottom.....	8952
4. H Hat.....	4031
5. Tom 1.....	B57
6. Tom 2.....	B57
7. Tom 3.....	B57
8. Tom 4.....	B57
9. OH LO.....	4031
10. OH HI.....	4031
11. BASS Guitar.....	DIR
12. Keyboards L/ Keyboards R	DIR (IN STEREO)
13. Electric Guitar.....	DIR
14. Sax Wireless.....	XLR
15. Sax Hardwire.....	441
16. Wind Synth.....	DIR
17. Percussion.....	3600
18. Talk Back (communication).....	B58

19. Reverb Effects for drum kit

Back Line Requirements

DRUM REQUIREMENTS ARE AS FOLLOWS:

Studio or top pro series drum set

A) Brands

- 1st choice : Sonar Drums
- 2nd choice : Yamaha or Gretch or Tama

B) Sizes

- 20 inch kick drum
- Snare Drum with pinstripe head
- Four (4) Tom Drums : 8 inch, 10 inch, 12 inch, 14 inch, – all double headed with pinstripe heads on all toms. (Top heads –any ambassador , bottom heads-transparent ambassador)
- NOT ACCEPTABLE : Concert Toms (single headed toms)

C) Hardware

- One(1) Snare Stand
- One (1) High Hat stand
- One (1) Kick drum foot pedal
- One (1) Adjustable drum throne
- DRUM SET NEEDS TO HANG 5 CYMBALS AND STICKS

KEYBOARD REQUIREMENTS

A) Keyboards

- Korg Karma (no substitute) with 2 tiered stand and Roland XV88 weighted keyboard controller (or something comparable)
- Any adjustable drum throne or adjustable piano bench.
- Adequate Keyboard AMP with speakers stereo , unless monitors will cover .

BASS AMPLIFICATION REQUIREMENTS

- 4x10 EDEN/ or SWR Cabinets
- EDEN 800 WT Bass Amp Head
- Two adjustable electric bass stands

GUITAR AMPLIFICATION REQUIREMENTS

- Fender Twin Amplifier or Fender Deluxe Reverb
- Two adjustable electric guitar stands.